

 REVIVAL
AUDIO

ATALANTE 4

Exceptional Performance
Unparalleled Balance



ATALANTE 4

Exceptional Performance, Unparalleled Balance

Product Sheet

INTRODUCING...

Since the debut of the ATALANTE series in September 2022, each member has left an indelible mark on the ears of listeners and reviewers alike.

Now, after a year and a half of anticipation, ATALANTE 4 emerges to redefine performance perfection and complete the ATALANTE family.

ATALANTE 4 inherits the legacy of ATALANTE premium audio speaker predecessors, while pushing boundaries with new innovations. Beautifully designed, this floor standing speaker combines timeless design details with a modern aesthetic, making it a stylish sound addition to rooms of any size.

ATALANTE 4 aligns the iconic sound characteristics of the ATALANTE series. Listening to it all day long only can be more enjoyable.

Experience Unmatched Audio Excellence and Balance at its Best, with ATALANTE 4.

KEY FEATURES

ATALANTE 4 is a 3-way model equipped with the **28mm soft-dome tweeter** and its built-in Revival Audio **ARID (Anti Reflection Inner Dome) patented technology**, that can absorb 95+% of resonance in the chamber.

Setting new standards for premium audio speakers, ATALANTE 4 introduces the **industry-first BSC (Basalt Sandwich Construction) 5-inch midrange driver**. Teaming up with **two 7-inch BSC woofers**, this premium speaker achieves a sublime balance between rigidity and lightweight construction, delivering supreme sound symmetry. Thanks to their exceptional damping construction, these drivers provide natural, swift, and smooth responses with remarkably tight bass dynamics.

The pièce de résistance of ATALANTE 4 lies in its **Hand-Tuned Crossover** – a culmination of decades of experience meticulously tuned by ear, and second to none. Enhancing the auditory experience, it incorporates the best-in-its-range components, including the prestigious **Van den Hul Skyline Hybrid cables**.

As a finish touch, the **Premium Spike Set**, a novel design in the ATALANTE 4, not only enhances the speaker's aesthetic but also ensures functional stability, enabling effortless micro-height adjustments.

More than just a premium speaker, the ATALANTE 4 is a visceral audio and visual experience that takes listening to its next, best level. With its exceptional performance and unparalleled balance, this state-of-the-art floor standing speaker invites you to immerse yourself in a world where art and audio exist in equilibrium.

<https://revivalaudio.fr/atalante-4/>



RASC™ 28MM TWEETER

DETAILED RESTITUTION, BEYOND EXPECTATIONS

RASC Tweeter is the iconic driver of Revival Audio. The 28mm soft-dome tweeter, coated with our secret recipe, and built-in Revival Audio ARID (Anti Reflection Inner Dome) patented technology absorbs 95+% of resonance in the chamber.

ARID PATENTED TECHNOLOGY

EDGING INNOVATION, FROM OUTSTANDING TO EXTRAORDINARY

ARID, which stands for Anti Resonance Inner Dome, is a Revival Audio patented technology.

ARID technology provides extended frequency response benefits from no-absorbing damping in the space behind the dome.



BSC™ MIDRANGE & WOOFERS


FIRST EVER IN HI-END

BSC (Basalt Sandwich Construction) drivers are a Revival Audio unique and iconic (visually too) technology. Basalt is extracted from lava stone which has never been used in Hi-End audio, with similar characteristics as glass fibre but a better Young modulus.

HAND-TUNED CROSSOVER

BUILT TO LAST

Our philosophy of crossover design is...*we don't have a philosophy.* We tune the sound by ears and experiences. We use as few components as possible, only necessary ones. In ATALANTE 4, we incorporate the best-in-its-range components, including Van den Hul Skyline Hybrid cables.



OUTPERFORMING LARGE SIZE FERRITE MAGNET

IT IS LARGE!

The "horsepower" of an engine, for a driver, is the magnet system. In all ATALANTE models, we chose ferrite magnets, not only because it is eco-friendly, but they also offer a real balanced output.

ATALANTE 4

Exceptional Performance, Unparalleled Balance

Product Sheet

TECHNICAL SPECIFICATIONS

Type	3-way loudspeaker
Drivers	<ul style="list-style-type: none"> • 1 1/8" (28mm) soft-dome tweeter equipped with Revival Audio ARID (Anti Reflection Inner Dome) patented technology with a large back chamber and low resonance frequency of 650Hz • 5 1/4" (13.5cm) BSC (Basalt Sandwich Construction) midrange driver • 2 of 7" (18cm) BSC (Basalt Sandwich Construction) woofers
Frequency Response (+/-3db)	38Hz - 26kHz (-3dB)
Sensitivity (2.83V/1m)	89dB/2.83V/ 1 metre
Nominal Impedance	4 ohms
Minimum Impedance	3.2 ohms at 120Hz
Crossover Frequency	550Hz and 3.0kHz
Recommended Amplifier Power	Power handling: 200 watts. Starting from 30-50 watts.
Recommended Room Size	30 to 50 m ²
Dimensions (H*W*D)	1200 mm x 345 mm x 395 mm
Net Weight	38 kg. (83.75 lbs.)

ATALANTE 4

Exceptional Performance, Unparalleled Balance

[Gallery \(click here for more\)](#)

